













































































ITEM NUMBER	BATCH CODE NUMBER INSTRUCTION AI0003 Rev. 8 PRODUCTS	NUMBER	31-01-24 - JT STRUCTURE
03.XXXX	STANDARD SCANGRIP BATCH NUMBER STRUCTURE	16A24	Year, Month Character - skip "I", Date
03.XXXX	OLD FLASH 100, 200, 300, -PEN, -R range, SENSOR, MAGPEN, SUNMATCH	010514	Version, Week, Year
03.XXXX	OLD MAG RANGE, SUN	421437S01	Year, Week, Costumer order no.
03.XXXX	OLD NOVA RANGE, MULTIMATCH, SUNMATCH	01140916	Version, Year, Month, Date
03.XXXX	EX PROOF RANGE	011163410001	01 - Product code (UNI-EX 00, NOVA-EX 01, NOVA EX-R 02) 1 - Production Line 16 - Year 34 - Week 1 - Day (1 Monday, 7 Sunday) 0001 - Runing serial number
03.5059	STAR LITE		
03.5102	MINI LITE A		MINI LITE A 03.5102 SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer: HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK UK CA CE IP54 ta: -10° to +40° C Battery: 3xAAA 1.5V
03.5113	FLASH MICRO R		
03.5116	MAG PEN 3		IP20 MAG PEN 3 03.5116 5V MAX 2.5W ta: -10° to +40° C
03.5117	MATCHPEN		CE IP54 18E10
03.5122	MATCHPEN R		CE MATCH PEN R 03.5122 18K17
03.5124	FLASH 12-24V		IP30 12V ta: -10° to +40° C CE FLASH 12-24V 03.5124 21J29
03.5127	WORK PEN 200 R		UK CA CE IP30 ta: -10° to +40° C 22K12 WORK PEN 200 R 03.5127 5V 1A
03.5130	FLASH PENCIL		CE FLASH PENCIL 03.5130 5V BATTERY 18H08
03.5131	FLASH PEN		IP54 ta: -10° to +40° C CE
03.5132	FLASH 300		FLASH 300 03.5132 IP54 ta: -10° to +40° C 3xAAA 1.5V BATTERY

03.5133	FLASH 600		
03.5136	FLASH PEN R		
03.5137	FLASH 600 R		
03.5138	FLASH 1000 R		
03.5150	PEN LITE A		
03.5151	POCKET LITE A		
03.5153	TORCH LITE 400 A		
03.5154	TORCH LITE 400		
03.5202	LINE LIGHT 2		
03.5203	LINE LIGHT 1		
03.5221	LINE LIGHT 75		
03.5222	LINE LIGHT 120		
03.5240	BONNET C+R		

03.5243	LINE LIGHT C+R		
03.5244	LINE LIGHT R		
03.5268	SITE LIGHT 40		
03.5269	SITE LIGHT 80		
03.5373	CHARGER USB 5V, 2A	 On the back side	
03.5400	MAG	 MAG 03.5400	
03.5404	MINIFORM		
03.5406	SUPERFORM		
03.5407	UNIFORM		
03.5408	UV-FORM		
03.5420	UNIPEN		
03.5438	NIGHT VIEW		
03.5440	NOVA 4K	 Bottom side of rear cover	

03.5441	NOVA 4K C+R		
03.5442	NOVA 6K		
03.5443	NOVA 6K C+R		
03.5444	NOVA 12K		
03.5451	VEGA LITE C+R		
03.5453	VEGA LITE		
03.5456	NOVA R		
03.5457	NOVA BONNET		
03.5459	VEGA LITE COLOUR		
03.5606	EX-VIEW		
03.5610	MINI SLIM		
03.5611	MIDI-EX		
03.5612	SLIM		

03.5617	UNI-EX		
03.5618	NOVA-EX R		
03.5619	NOVA-EX		
03.5620	STAR		
03.5626	I-VIEW		
03.5637	AREA LITE CO		
03.5645	HEAD LITE S		
03.5650	MINIMATCH		
03.5653	MULTIMATCH 3		
03.5654	MULTIMATCH 8		
03.5657	SUNMATCH 4		
03.5658	MULTIMATCH R		
03.5665	STICK LITE S		

03.5666	STICK LITE M	 <p>On the backside</p>	 <p>STICK LITE M 03.5666 SV==MAX 4W ta: -10° to +40° C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p>
03.5667	WORK LITE S		 <p>WORK LITE S 03.5667 SV==MAX 3W ta: -10° to +40° C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p>
03.5668	WORK LITE M		 <p>WORK LITE M 03.5668 SV==MAX 4W ta: -10° to +40° C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p>
03.5669	HEAD LITE		 <p>HEAD LITE 03.5669 SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK IP54 5V == MAX 2W ta: -10° to +40° C</p>
03.5670	HEAD LITE A		 <p>HEAD LITE A 03.5670 SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK IP54 BATTERY 3XAAA 1.5V ta: -10° to +40° C</p>
03.5671	STAR LITE		 <p>STAR LITE 03.5671 IP54 5V == MAX 2W ta: -10° to +40° C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p>
03.5673	VEGA LITE COMPACT		 <p>VEGA LITE COMPACT 03.5673 IP54 5V == MAX 2W ta: -10° to +40° C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p>
03.5675C	MULTIMATCH 3 CONNECT		 <p>MULTIMATCH 3 CONNECT 03.5675C 18V == MAX 35W SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK EU DESIGN PATENT NO. 213346 Contains FCC ID: ZATYV-BLE-MODULE-A R210-220670</p>
03.5676C	MULTIMATCH 8 CONNECT		 <p>MULTIMATCH 8 CONNECT 03.5676C 18V == MAX 80W SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK EU DESIGN PATENT NO. 213346 Contains FCC ID: ZATYV-BLE-MODULE-A R210-220670</p>
03.5690	MAG PRO		 <p>MAG PRO 03.5690 5V == MAX 6.5W IP54 ta: -10° to +40° C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p>
03.5691	MAG PRO WIRELESS		 <p>MAG PRO WIRELESS 03.5691 5V == MAX 6.5W IP54 ta: -10° to +40° C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p>
03.5692	MINI MAG PRO		 <p>MINI MAG PRO 03.5692 IP54 5V == MAX 2.5W ta: -10° to +40° C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p>
03.5696C	MULTILIGHT BODY CONNECT		 <p>MULTILIGHT BODY CONNECT 03.5696C 18V == MAX 90W IP30 ta: -10° to +40° C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer HULTAFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p>

03.5701C	AREALIGHT BODY CONNECT		
03.5782	SCANGRIP POWERBANK	On the opposite side 	
03.5800	UV-PEN	Twist this end a bit and it will be visible 	
03.5801	UV-LIGHT		UV-LIGHT 03.5801 SCANGRIP A/S RYTTERHAVEN 9 17M19 DK-5700 SVENDBORG ta: -10 to +40°C 5V → MAX 6W IP20 
03.5802	NOVA-UV S		NOVA-UV S 03.5802 IK07 ta: -10 to +40°C RISK GROUP 2 SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG IP30 5V 2A → MAX 12W 
03.5803	UV-GUN	Behind the battery (Remove the battery and you can see it) 	UV-GUN 03.5803 ta: -10 to +40°C IP30 IK07 SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG 10.95V → MAX 120W EU DESIGN PATENT NO. PENDING 20C12 
03.5811	FLEX WEAR KIT	Behind the clip 	
03.5815	ROPE LIGHT		ROPE LIGHT 03.5815 ta: -10 to +40°C IP65 IK07 100-240V → 30/30/10 → MAX 300W SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG EU DESIGN PATENT NO. PENDING 20C12 
03.6009	AREA 10 SPS		AREA 10 SPS 03.6009 SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG EU DESIGN PATENT NO. PENDING 20B03 
03.6010	NOVA MINI		NOVA MINI 03.6010 IP65 IK07 ta: -10° to +40°C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB importer MULTAFORS GROUP UK LIMITED Halesworth HD9 4DS, UK 5V 1A → MAX 10W 0.1m 19H19 
03.6100C	NOVA 2 CONNECT		NOVA 2 CONNECT 18V → MAX 16W IP30 IK07 03.6100C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG EU DESIGN PATENT NO. 213346 GB importer MULTAFORS GROUP UK LIMITED Halesworth HD9 4DS, UK ta: -10° to +40°C 22K21 
03.6101C	NOVA 4 CONNECT		NOVA 4 CONNECT 18V → MAX 30W IP65 IK07 03.6101C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG FCC ID: 2ATYV-B102802 EU DESIGN PATENT NO. 213346 GB importer MULTAFORS GROUP UK LIMITED Halesworth HD9 4DS, UK ta: -10° to +40°C 23C16 
03.6102C	NOVA 10 CONNECT		NOVA 10 CONNECT 18V → MAX 75W IP65 IK07 03.6102C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG FCC ID: 2ATYV-B102802 EU DESIGN PATENT NO. 213346 GB importer MULTAFORS GROUP UK LIMITED Halesworth HD9 4DS, UK ta: -10° to +40°C 23C16 

03.6103C	AREA 10 CONNECT		<p>AREA 10 CONNECT 03.6103C ta: -10° to +40°C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB Importer MULTIFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p> <p>18V MAX 64W IP65 IK07 FCC ID: 2A1TV-BL02802 EU DESIGN PATENT NO. 213344</p> <p>22016</p>
03.6104C	VEGA LITE CONNECT		<p>VEGA 4 CONNECT SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG</p> <p>ta: -10 to +40°C IP54 IK07 18V MAX 40W EU DESIGN PATENT PENDING</p> 
03.6105C	TOWER 5 CONNECT		<p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG</p> <p>TOWER 5 CONNECT 03.6105C 22K19</p> <p>18V MAX 45W ta: -10 to +40°C</p> <p>IP30 IK07</p>
03.6106C	VEGA 2 CONNECT	<p>On the backside</p> 	<p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG</p> <p>VEGA 2 CONNECT 03.6106C 22K19</p> <p>18V MAX 20W ta: -10 to +40°C</p> <p>IP54 IK06</p>
03.6108C	AREA 6 CONNECT		<p>22L10</p> <p>AREA 6 CONNECT 03.6108C SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG GB Importer MULTIFORS GROUP UK LIMITED Holmfirth HD9 4DS, UK</p> <p>ta: -10 to +40°C 18V MAX 54W IP54 IK07 EU DESIGN PATENT PENDING</p>
03.6109C	BASIC CONNECT		<p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG</p> <p>BASIC CONNECT 03.6109C</p> <p>5V MAX 9.5W ta: -10° to +40°C</p> <p>IP30 IK07</p>
03.6123C	POWER SUPPLY CONNECT	<p>On connection side</p> 	<p>POWER SUPPLY CONNECT 03.6123C</p> <p>INPUT: 100-240V ~ 50/60Hz OUTPUT: 18V ~ 3A 30W ta: -10° to +40°C IP65</p> <p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG</p> <p>18111</p> <p>COS φ: 0.95</p>
03.6140C	CONNECTOR BOSCH / AMPSHARE	<p>COMPATIBLE WITH</p> 	<p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG DANMARK Importør og forhandler i Danmark og Norge Multifors Group Limited Holmfirth HD9 4DS, UK</p> <p>03.6140C</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Overcurrent I2L • Temperature 52°C</p> <p>22028</p>
03.6141C	CONNECTOR BOSCH GREEN	<p>COMPATIBLE WITH</p> 	<p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG DANMARK Importør og forhandler i Danmark og Norge Multifors Group Limited Holmfirth HD9 4DS, UK</p> <p>03.6141C</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Overcurrent I2L • Temperature 52°C</p> <p>22028</p>
03.6142C	CONNECTOR DEWALT	<p>COMPATIBLE WITH</p> 	<p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG DANMARK Importør og forhandler i Danmark og Norge Multifors Group Limited Holmfirth HD9 4DS, UK</p> <p>03.6142C</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Overcurrent I2L • Temperature 52°C</p> <p>22028</p>
03.6144C	CONNECTOR FEIN	<p>COMPATIBLE WITH</p> 	<p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG DANMARK Importør og forhandler i Danmark og Norge Multifors Group Limited Holmfirth HD9 4DS, UK</p> <p>03.6144C</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Overcurrent I2L • Temperature 52°C</p> <p>22028</p>
03.6145C	CONNECTOR FLEX	<p>COMPATIBLE WITH</p> 	<p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG DANMARK Importør og forhandler i Danmark og Norge Multifors Group Limited Holmfirth HD9 4DS, UK</p> <p>03.6145C</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Overcurrent I2L • Temperature 52°C</p> <p>22028</p>
03.6146C	CONNECTOR HAZET	<p>COMPATIBLE WITH</p> 	<p>SCANGRIP A/S RYTTERHAVEN 9 DK-5700 SVENDBORG DANMARK Importør og forhandler i Danmark og Norge Multifors Group Limited Holmfirth HD9 4DS, UK</p> <p>03.6146C</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Overcurrent I2L • Temperature 52°C</p> <p>22028</p>



03.6147C	CONNECTOR HIKOKI		<p>SCANGRIP AG BÜTTENHAUSEN 9 52076 WANKENBORG SCHWABIA WIRTSCHAFTS- und Handwerkskammer Nordrhein-Westfalen 52076 WANKENBORG DEUTSCHLAND</p> <p>18V  T10A</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Discharge current 10A • Temperature 50°C</p> <p>22028 </p>
03.6148C	CONNECTOR MAKITA		<p>SCANGRIP AG BÜTTENHAUSEN 9 52076 WANKENBORG SCHWABIA WIRTSCHAFTS- und Handwerkskammer Nordrhein-Westfalen 52076 WANKENBORG DEUTSCHLAND</p> <p>18V  T10A</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Discharge current 10A • Temperature 50°C</p> <p>22028 </p>
03.6149C	CONNECTOR MILWAUKEE		<p>SCANGRIP AG BÜTTENHAUSEN 9 52076 WANKENBORG SCHWABIA WIRTSCHAFTS- und Handwerkskammer Nordrhein-Westfalen 52076 WANKENBORG DEUTSCHLAND</p> <p>18V  T10A</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Discharge current 10A • Temperature 50°C</p> <p>22028 </p>
03.6150C	CONNECTOR WÜRTH		<p>SCANGRIP AG BÜTTENHAUSEN 9 52076 WANKENBORG SCHWABIA WIRTSCHAFTS- und Handwerkskammer Nordrhein-Westfalen 52076 WANKENBORG DEUTSCHLAND</p> <p>18V  T10A</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Discharge current 10A • Temperature 50°C</p> <p>22028 </p>
03.6151C	CONNECTOR SNAP-ON		<p>SCANGRIP AG BÜTTENHAUSEN 9 52076 WANKENBORG SCHWABIA WIRTSCHAFTS- und Handwerkskammer Nordrhein-Westfalen 52076 WANKENBORG DEUTSCHLAND</p> <p>18V  T10A</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Discharge current 10A • Temperature 50°C</p> <p>22028 </p>
03.6152C	CONNECTOR INGERSOLL		<p>SCANGRIP AG BÜTTENHAUSEN 9 52076 WANKENBORG SCHWABIA WIRTSCHAFTS- und Handwerkskammer Nordrhein-Westfalen 52076 WANKENBORG DEUTSCHLAND</p> <p>20V  T10A</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Discharge current 10A • Temperature 50°C</p> <p>22028 </p>
03.6153C	CONNECTOR FESTOOL		<p>SCANGRIP AG BÜTTENHAUSEN 9 52076 WANKENBORG SCHWABIA WIRTSCHAFTS- und Handwerkskammer Nordrhein-Westfalen 52076 WANKENBORG DEUTSCHLAND</p> <p>18V  T10A</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Discharge current 10A • Temperature 50°C</p> <p>22028 </p>
03.6154C	CONNECTOR FLEX		<p>SCANGRIP AG BÜTTENHAUSEN 9 52076 WANKENBORG SCHWABIA WIRTSCHAFTS- und Handwerkskammer Nordrhein-Westfalen 52076 WANKENBORG DEUTSCHLAND</p> <p>18V  T10A</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Discharge current 10A • Temperature 50°C</p> <p>22028 </p>
03.6155C	CONNECTOR BERNER		<p>SCANGRIP AG BÜTTENHAUSEN 9 52076 WANKENBORG SCHWABIA WIRTSCHAFTS- und Handwerkskammer Nordrhein-Westfalen 52076 WANKENBORG DEUTSCHLAND</p> <p>18V  T10A</p> <p>BATTERY SAFETY SYSTEM • Discharge voltage 14.5V • Discharge current 10A • Temperature 50°C</p> <p>22028 </p>